



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office

Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231

44

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.
-----------------	-------------	----------------------	---------------------

09/492,811 01/28/00 BECKER

J 7436.100A

EXAMINER

QM32/1030

Thomas P. Liniak
MYERS LINIAK & BERENATO
5550 Rock Spring Drive
Suite 240
Bethesda MD 20817

DESAI, H

ART UNIT

PAPER NUMBER

3721

DATE MAILED:

10/30/01

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner of Patents and Trademarks

Interview Summary	Application No.	Applicant(s)	
	09/492,811	BECKER ET AL.	
	Examiner	Art Unit	
	Hemant M Desai	3721	

All participants (applicant, applicant's representative, PTO personnel):

- (1) Hemant M Desai. (3) Rinaldi Rada.
 (2) Thomas P. Liniak. (4) _____.

Date of Interview: 29 October 2001 .

Type: a) ☐ Telephonic b) ☐ Video Conference
 c) ☒ Personal [copy given to: 1) ☐ applicant 2) ☒ applicant's representative]

Exhibit shown or demonstration conducted: d) ☐ Yes e) ☒ No.

If Yes, brief description: _____ .

Claim(s) discussed: of record .

Identification of prior art discussed: Shea (5,314,087), McCord (728,749) .

Agreement with respect to the claims f) ☐ was reached. g) ☐ was not reached. h) ☒ N/A.


Substance of Interview including description of the general nature of what was agreed to if an agreement was reached, or any other comments: applicant's attorney further explains the invention and provide clarification to references provided. Also discussed the proposed amendment after final. .

(A fuller description, if necessary, and a copy of the amendments which the examiner agreed would render the claims allowable, if available, must be attached. Also, where no copy of the amendments that would render the claims allowable is available, a summary thereof must be attached.)

- i) ☒ It is not necessary for applicant to provide a separate record of the substance of the interview(if box is checked).

Unless the paragraph above has been checked, THE FORMAL WRITTEN REPLY TO THE LAST OFFICE ACTION MUST INCLUDE THE SUBSTANCE OF THE INTERVIEW. (See MPEP Section 713.04). If a reply to the last Office action has already been filed, APPLICANT IS GIVEN ONE MONTH FROM THIS INTERVIEW DATE TO FILE A STATEMENT OF THE SUBSTANCE OF THE INTERVIEW. See Summary of Record of Interview requirements on reverse side or on attached sheet.

Examiner Note: You must sign this form unless it is an Attachment to a signed Office action.


 Examiner's signature, if required

13. An inner container [assembly], designed to be removably inserted into an outer container comprising:

a bottom, collapsible opposing first and second sidewalls and front and back walls, each constructed of a flexible insulating material having one metalized surface, said first and second sidewalls and said front and back walls forming an integral moisture proof seal with said bottom and each other;

an integral first foldable side flap extending above said first sidewall and having opposing edges, said flap comprising a top edge that is substantially straight along its entire length;

an integral foldable second side flap extending above said second sidewall and having opposing edges, said flap comprising a top edge that is substantially straight along its entire length;

an integral foldable front flap extending above said front end and integral with the edges of both said first and second side flaps, said front flap comprising a top edge that is substantially straight along its entire length;

an integral foldable back flap extending above said back end and integral with the edges of both said first and second side flaps, said back flap further comprising a top edge that is substantially straight along its entire length; and

a top formed from said first and second side flaps and said front and back flaps wherein said first and second side flaps are folded and adjacent each other.

13. An inner container [assembly designed to be] removably inserted into an outer container, said inner container comprising:

a bottom, collapsible opposing first and second sidewalls and front and back walls, each constructed of a flexible insulating material having one metalized surface, said first and second sidewalls and said front and back walls forming an integral moisture proof seal with said bottom and each other;

an integral first foldable side flap extending above said first sidewall and having opposing edges, said flap comprising a top edge that is substantially straight along its entire length;

an integral foldable second side flap extending above said second sidewall and having opposing edges, said flap comprising a top edge that is substantially straight along its entire length;

an integral foldable front flap extending above said front end and integral with the edges of both said first and second side flaps, said front flap comprising a top edge that is substantially straight along its entire length;

an integral foldable back flap extending above said back end and integral with the edges of both said first and second side flaps, said back flap further comprising a top edge that is substantially straight along its entire length; and

a top formed from said first and second side flaps and said front and back flaps wherein said first and second side flaps are folded and adjacent each other.

In re John W. Becker
09/492,811

46. The container of Claim 13 wherein said metalized surface extends throughout all of said bottom, said first and second sidewalls and said front and back walls.

47. The container of Claim 13 wherein;

a portion of said inner container is in direct contact with said outer container when it is inserted in said outer container.

48. The container of Claim 13 wherein;

a portion of said metalized surface is in direct contact with said outer container when it is inserted in said outer container.

13. An inner container [assembly], designed to be removably inserted into an outer container comprising:

a bottom, collapsible opposing first and second sidewalls and front and back walls, each constructed of a flexible insulating material having one metalized surface, said first and second sidewalls and said front and back walls forming an integral moisture proof seal with said bottom and each other;

an integral first foldable side flap extending above said first sidewall and having opposing edges, said flap comprising a top edge that is substantially straight along its entire length;

an integral foldable second side flap extending above said second sidewall and having opposing edges, said flap comprising a top edge that is substantially straight along its entire length;

an integral foldable front flap extending above said front end and integral with the edges of both said first and second side flaps, said front flap comprising a top edge that is substantially straight along its entire length;

an integral foldable back flap extending above said back end and integral with the edges of both said first and second side flaps, said back flap further comprising a top edge that is substantially straight along its entire length; and

a top formed from said first and second side flaps and said front and back flaps wherein said first and second side flaps are folded and adjacent each other.

In re John W. Becker
09/492,811

46. The container of Claim 13 wherein said metalized surface extends throughout all of said bottom, said first and second sidewalls and said front and back walls.

47. The container of Claim 13 wherein;

a portion of said inner container is in direct contact with said outer container when it is inserted in said outer container.

48. The container of Claim 13 wherein;

a portion of said metalized surface is in direct contact with said outer container when it is inserted in said outer container.